

Last updated: April 6, 2018

Mixing order is general PreCede first, pesticide second

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions. Use caution when mixing PreCede with pesticide seed treatments in the same vessel. ATP cannot guarantee long term compatibility.

Tank-Mix Product	PreCede Canola Mix and Treat Immediately*	PreCede Canola 3 Day Compatibility*	PreCede Corn Mix and Treat Immediately*	PreCede Corn 7 Day Compatibility*	PreCede Cereal Mix and Treat Immediately*	PreCede Cereal 3 Day Compatibility*	PreCede Pulse Mix and Treat Immediately*	PreCede Pulse 7 Day Compatibility*	PreCede Pulse Convey Mix and Treat Immediately*	PreCede Pulse Convey 7 Day Compatibility*	PreCede Soy Mix and Treat Immediately*	PreCede Soy 3 Day Compatibility*	PreCede Wheat Mix and Treat Immediately*	PreCede Wheat 3 Day Compatibility*
Apron Maxx RTA + Intego					√									
Apron Maxx RTA + Intego Pulse							√							
Apron Maxx RTA							√	√			√			
Apron Maxx RTA + Water							√	√						
Cruiser Maxx Vibrance Beans							√	√			√			
Cruiser Maxx Vibrance Beans + Water							√	√						
Cruiser Maxx Vibrance Cereals	√*	√*	√	√	√	√							√	√
Cruiser Maxx Vibrance Cereals + Water	√*	√*			√	√							√	√
Cruiser Maxx Vibrance Pulses					√	√	√	√						
Cruiser Vibrance Quattro					√	√							√	√ ^c
Evergol Energy					√	√	√	√			√	√	√	√
Evergol Energy + Stress Shield					√	√	√	√			√	√	√	√
Gemini					√	√								
Heads UP											√	√		
Insure Cereal	√ ^c	√ ^c	√*	√*	√ ^c	√ ^c							√ ^c	√ ^c
Insure Cereal + Water	√ ^c	√ ^c	√	√	√	√							√	√ ^c

Compatibility Index

*	Refers to physical compatibility; i.e. the tank-mix is physically compatible immediately after mixing, or for 3+ or 7+ days
**	30 day compatibility as per Novozymes recommendations
√	Compatible
√*	*Marginally Compatible, thorough agitation is required, dilution with water is recommended
√ ^c	^c Compatible but thick, thorough agitation is required, dilution with water is recommended. Use the product immediately after mixing.
x	Incompatible
	Grey and white boxes are not tested

Mixers were generally tested at 5 gal/ac water volume

Last updated: April 6, 2018

Mixing order is general PreCede first, pesticide second

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions. Use caution when mixing PreCede with pesticide seed treatments in the same vessel. ATP cannot guarantee long term compatibility.

Tank-Mix Product	PreCede Canola Mix and Treat Immediately*	PreCede Canola 3 Day Compatibility*	PreCede Corn Mix and Treat Immediately*	PreCede Corn 7 Day Compatibility*	PreCede Cereal Mix and Treat Immediately*	PreCede Cereal 3 Day Compatibility*	PreCede Pulse Mix and Treat Immediately*	PreCede Pulse 7 Day Compatibility*	PreCede Pulse Convey Mix and Treat Immediately*	PreCede Pulse Convey 7 Day Compatibility*	PreCede Soy Mix and Treat Immediately*	PreCede Soy 3 Day Compatibility*	PreCede Wheat Mix and Treat Immediately*	PreCede Wheat 3 Day Compatibility*
Insure Pulse					√		√							
Intego Solo + Trilex Evergol							√	√	√	√	√	√		
NipsIt Suite					√	√							√	√
NipsIt Suite + NipsIt Inside					√	√							√ ^c	x
Nodulator NT Liquid Inoculant + Extender							√	x						
Nufarm Soybean Blend											√	√		
PreCede Cereal								x						
PreCede Pulse					x									
Rancona					√	√							√*	√*
Raxil Pro					√	√							√	√
Raxil Pro + Stress Shield					√	√							√	√
Raxil W/W	√	√	√*	√*	√	√							√	√
Raxil W/W + Water	√	√	√	√	√	√							√	√
Trilex							√							
Trilex Evergol					√	√	√	√	√	√	√	√		
Trilex Evergol + Intego Solo							√	√	√	√	√	√		
Trilex Evergol + Stress Shield							√	√			√	√		

Compatibility Index

*	Refers to physical compatibility; i.e. the tank-mix is physically compatible immediately after mixing, or for 3+ or 7+ days
**	30 day compatibility as per Novozymes recommendations
√	Compatible
√*	*Marginally Compatible, thorough agitation is required, dilution with water is recommended
√ ^c	^c Compatible but thick, thorough agitation is required, dilution with water is recommended. Use the product immediately after mixing.
x	Incompatible
	Grey and white boxes are not tested

Mixers were generally tested at 5 gal/ac water volume

Last updated: April 6, 2018

Mixing order is general PreCede first, pesticide second

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions. Use caution when mixing PreCede with pesticide seed treatments in the same vessel. ATP cannot guarantee long term compatibility.

Tank-Mix Product	PreCede Canola <u>Mix and Treat Immediately*</u> 3 Day Compatibility*	PreCede Canola <u>Mix and Treat Immediately*</u> 7 Day Compatibility*	PreCede Corn <u>Mix and Treat Immediately*</u> 3 Day Compatibility*	PreCede Corn <u>Mix and Treat Immediately*</u> 7 Day Compatibility*	PreCede Cereal <u>Mix and Treat Immediately*</u> 3 Day Compatibility*	PreCede Cereal <u>Mix and Treat Immediately*</u> 7 Day Compatibility*	PreCede Pulse <u>Mix and Treat Immediately*</u> 3 Day Compatibility*	PreCede Pulse <u>Mix and Treat Immediately*</u> 7 Day Compatibility*	PreCede Pulse Convey <u>Mix and Treat Immediately*</u> 3 Day Compatibility*	PreCede Pulse Convey <u>Mix and Treat Immediately*</u> 7 Day Compatibility*	PreCede Soy <u>Mix and Treat Immediately*</u> 3 Day Compatibility*	PreCede Soy <u>Mix and Treat Immediately*</u> 7 Day Compatibility*	PreCede Wheat <u>Mix and Treat Immediately*</u> 3 Day Compatibility*	PreCede Wheat <u>Mix and Treat Immediately*</u> 7 Day Compatibility*
Trilex Evergol + Water							√	√						
Vibrance 500 FS + Apron Maxx RTA + Intego Solo							√	√						
Vibrance Maxx							√	√						
Vibrance Maxx + Stress Shield							√	√						
Vibrance Quattro					√	√ ^c							√	X
Vibrance XL	√*	√*	√ ^c	X	√	√ ^c							√*	X
Vibrance XL + Water	√*	√*	√ ^c	X	√	√							√*	X
VitaFlo 280					√	√	√	√						
XiteBio PeasRhizo							√							
XiteBio SoyRhizo											√			

Compatibility Index

*	Refers to physical compatibility; i.e. the tank-mix is physically compatible immediately after mixing, or for 3+ or 7+ days
**	30 day compatibility as per Novozymes recommendations
√	Compatible
√*	*Marginally Compatible, thorough agitation is required, dilution with water is recommended
√ ^c	^c Compatible but thick, thorough agitation is required, dilution with water is recommended. Use the product immediately after mixing.
X	Incompatible
	Grey and white boxes are not tested

Mixers were generally tested at 5 gal/ac water volume