

Last updated: July 2, 2019

Mixing order is generally PreCede first, pesticide second

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions. Use caution when mixing PreCede with pesticide seed treatments in the same vessel. ATP cannot guarantee long term compatibility.

	PreCede Canola	PreCede Canola	PreCede Cereal	PreCede Cereal	PreCede Pulse	PreCede Pulse	PreCede Pulse Convey	PreCede Pulse Convey	PreCede Soy	PreCede Soy
Tank-Mix Product	Mix and Treat Immediately*	3 Day Compatibility*	Mix and Treat Immediately*	3 Day Compatibility*	Mix and Treat Immediately*	7 Day Compatibility*	Mix and Treat Immediately*	7 Day Compatibility*	Mix and Treat Immediately*	3 Day Compatibility*
Apron Maxx RTA + Intego			√							
Apron Maxx RTA + Intego Pulse					√				√	
Apron Maxx RTA					√	√			√	
Apron Maxx RTA + Water					√	√			√	
Cruiser Maxx Vibrance Beans					√	√			√	
Cruiser Maxx Vibrance Beans + Water					√	√			√	
Cruiser Maxx Vibrance Cereals	√*	√*	√	√						
Cruiser Maxx Vibrance Cereals + Water	√*	√*	√	√						
Cruiser Maxx Vibrance Pulses			√	√	√	√			√	
Cruiser Vibrance Quattro			√	√						
Evergol Energy			√	√	√	√			√	√
Evergol Energy + Stress Shield			√	√	√	√			√	√
Gemini			√	√						
Heads UP									√	√
Insure Cereal	√ ^c	√ ^c	√ ^c	√ ^c						
Insure Cereal FX4			√	√						
Insure Cereal + Water	√ ^c	√ ^c	√	√						
Insure Pulse			√		√	√			√	
Intego Solo + Trilex Evergol					√	√	√	√	√	√

Compatibility Index

*	Refers to physical compatibility; i.e. the tank-mix is physically compatible immediately after mixing, or for 3+ or 7+ days
**	30 day compatibility as per Novozymes recommendations
√	Compatible
√*	*Marginally Compatible, thorough agitation is required, dilution with water is recommended
√ ^c	^c Compatible but thick, thorough agitation is required, dilution with water is recommended. Use the product immediately after mixing.
x	Incompatible
	Grey and white boxes are not tested

Mixes were generally tested at 5 gal/ac water volume

Last updated: July 2, 2019

Mixing order is generally PreCede first, pesticide second

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions. Use caution when mixing PreCede with pesticide seed treatments in the same vessel. ATP cannot guarantee long term compatibility.

	PreCede Canola	PreCede Canola	PreCede Cereal	PreCede Cereal	PreCede Pulse	PreCede Pulse	PreCede Pulse Convey	PreCede Pulse Convey	PreCede Soy	PreCede Soy
Tank-Mix Product	Mix and Treat Immediately*	3 Day Compatibility**	Mix and Treat Immediately*	3 Day Compatibility**	Mix and Treat Immediately*	7 Day Compatibility*	Mix and Treat Immediately*	7 Day Compatibility*	Mix and Treat Immediately*	3 Day Compatibility**
NipsIt Suite	X	X	√	√						
NipsIt Suite + NipsIt Inside			√	√						
Nodulator NT Liquid Inoculant + Extender					√	X				
Nufarm Soybean Blend									√	√
PreCede Cereal						X				
PreCede Pulse			X							
Rancona			√	√						
Raxil Pro			√	√						
Raxil Pro + Stress Shield			√	√						
Raxil W/W	√	√	√	√						
Raxil W/W + Water	√	√	√	√						
Trilex					√					
Trilex Evergol			√	√	√	√	√	√	√	√
Trilex Evergol + Intego Solo					√	√	√	√	√	√
Trilex Evergol + Stress Shield					√	√			√	√
Trilex Evergol + Water					√	√			√	
Vibrance 500 FS + Apron Maxx RTA + Intego Solo					√	√			√	
Vibrance Maxx					√	√			√	

Compatibility Index

*	Refers to physical compatibility; i.e. the tank-mix is physically compatible immediately after mixing, or for 3+ or 7+ days
**	30 day compatibility as per Novozymes recommendations
√	Compatible
√*	*Marginally Compatible, thorough agitation is required, dilution with water is recommended
√ ^c	^c Compatible but thick, thorough agitation is required, dilution with water is recommended. Use the product immediately after mixing.
X	Incompatible
	Grey and white boxes are not tested

Mixes were generally tested at 5 gal/ac water volume

Last updated: July 2, 2019

Mixing order is generally PreCede first, pesticide second

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions. Use caution when mixing PreCede with pesticide seed treatments in the same vessel. ATP cannot guarantee long term compatibility.

	PreCede Canola	PreCede Canola	PreCede Cereal	PreCede Cereal	PreCede Pulse	PreCede Pulse	PreCede Pulse Convey	PreCede Pulse Convey	PreCede Soy	PreCede Soy
Tank-Mix Product	Mix and Treat Immediately*	3 Day Compatibility*	Mix and Treat Immediately*	3 Day Compatibility*	Mix and Treat Immediately*	7 Day Compatibility*	Mix and Treat Immediately*	7 Day Compatibility*	Mix and Treat Immediately*	3 Day Compatibility*
Vibrance Maxx RFC					√				√	
Vibrance Maxx RFC +Intego Solo					√				√	
Vibrance Maxx + Stress Shield					√	√			√	
Vibrance Quattro			√	√ ^c						
Vibrance XL	√*	√*	√	√ ^c						
Vibrance XL + Water	√*	√*	√	√						
Vitaflo 280			√	√	√	√				
XiteBio PeasRhizo					√					
XiteBio SoyRhizo									√	

Compatibility Index

*	Refers to physical compatibility; i.e. the tank-mix is physically compatible immediately after mixing, or for 3+ or 7+ days
**	30 day compatibility as per Novozymes recommendations
√	Compatible
√*	*Marginally Compatible, thorough agitation is required, dilution with water is recommended
√ ^c	^c Compatible but thick, thorough agitation is required, dilution with water is recommended. Use the product immediately after mixing.
x	Incompatible
	Grey and white boxes are not tested

Mixes were generally tested at 5 gal/ac water volume