

Stage 2

RELEAF[®]
PLATINUM

PESTICIDE Physical Compatibility Chart

Last updated: June 8, 2020

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions

Tank-Mix Product	ReLeaf Platinum
2,4-D Amine	
2,4-D Amine + Tandem	√
2,4-D Amine + Tundra	√
2,4-D Ester	
Acapela	√
Acapela + Kinetic Boron	
Allegro	
Ally + Pro-Surf II	
Altitude FX	√
Ares + Merge	√
Armezon + Glyphosate	√
Assure II	
Assure II + Traxos	
Assure II + Solo ADV + Traxos	
Assure II + Kinetic Boron	
Assure II + Liberty	√
Assure II + Sure-Mix	
Astound	
Axial BIA	
Axial BIA + Barricade SG	√
Axial BIA + Barricade SG + Perimeter II	√
Axial BIA + Infinity	√
Axial BIA + Infinity FX	√
Axial BIA + Infinity + Kinetic Boron + Manron + UAN	
Axial BIA + Paradigm + MCPA Ester	√
Axial BIA + Pixarro	√
Axial BIA + Prestige + NRG-Mg + Kinetic Boron	

Compatibility Index

√	Compatible
√ ^a	^a Marginally Compatible, thorough agitation is required, add PrecisionPac first
√ [*]	[*] Marginally Compatible, thorough agitation is required, dilution with water is recommended
x	Incompatible
	Not Tested

Mixes were generally tested at 5 gal/ac water volume

Stage 2

RELEAF[®]
PLATINUM

PESTICIDE Physical Compatibility Chart

Last updated: June 8, 2020

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions

Tank-Mix Product	ReLeaf Platinum
Axial BIA + Prestige	√
Axial BIA + Pulsar + MCPA Ester	√
Axial BIA + Refine M	√
Axial BIA + Spectrum	
Axial BIA + Stellar	√
Axial BIA + Stellar + NRG-KS + ModipHy	
Axial BIA + Tilt	√
Axial BIA + Tilt + NRG-Mg + Kinetic Boron	
Axial BIA + Tilt + NRG-Mg + Kinetic Boron + Copron + Zicron	
Axial BIA + Tilt + Zicron	
Axial + Refine SG + fluroxypyr + Boron Boost + Manron + UAN	
Axial Extreme + MCPA Ester	
Axial Extreme + Manipulator + Tilt + MCPA Ester	
Barricade SG + Pro-Surf II	
Barricade II + Agrol + Horizon NG + Tilt	√
Barricade II + Perimeter II + Pro-Surf II	
Barricade II + Varro	√
Basagran Forte	
Basagran Forte + Assure II	√
Basagran Forte + Sodium Molybdate	
Bravo	√
Bravo + Sencor	√
Broadband	
Bumper + NRG Mg + Kinetic Boron	
Caramba	√
Centurion	√
Centurion + Amigo	√
Centurion + Assure II	√

Compatibility Index

√	Compatible
√ ^a	a Marginally Compatible, thorough agitation is required, add PrecisionPac first
√ [*]	*Marginally Compatible, thorough agitation is required, dilution with water is recommended
x	Incompatible
	Not Tested

Mixes were generally tested at 5 gal/ac water volume

Stage 2

RELEAF[®] PLATINUM

PESTICIDE Physical Compatibility Chart

Last updated: June 8, 2020

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions

Tank-Mix Product	ReLeaf Platinum
Centurion + Buctril M	√
Centurion + Curtail M	√
Centurion + Decis	√
Centurion + Amigo + Curtail M	√
Centurion + Kinetic Boron	
Centurion + Poast Ultra	√
Centurion + Pursuit	√
Centurion + Pursuit + Agral90	√
Coragen	
Curtail M	
Decis	√
Decis + Liberty	√
Delaro	√
Delaro + Matador	
Delaro + Pardner	
Delaro + Sodium Molybdate	
Dyvel DSP	
Eclipse III	√
Enforcer M + Puma Advance	√
Everest 2.0	
Everest 2.0 + Buctril M	√
Everest 2.0 + OcTTain XL + Agral 90	√
Everest 2.0 + Paradigm	√
Everest 2.0 + Pixxaro	√
Everest 2.0 + Prestige + Tilt	
Everest 2.0 + Stellar	√
Everest 2.0 + Stellar + NRG-KS	
Evito	

Compatibility Index

√	Compatible
√ ^a	^a Marginally Compatible, thorough agitation is required, add PrecisionPac first
√*	*Marginally Compatible, thorough agitation is required, dilution with water is recommended
x	Incompatible
	Not Tested

Mixes were generally tested at 5 gal/ac water volume

Stage 2

RELEAF[®]
PLATINUM

PESTICIDE Physical Compatibility Chart

Last updated: June 8, 2020

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions

Tank-Mix Product	ReLeaf Platinum
Folicur	√
Folicur + Kinetic Boron + Copron + Manron + Pro-Surf II	
Flexstar GT + Turbocharge	
Frontline	√
Glyphoghan + Manron + ModipHy	
Harmony K	
Headline	√
Headline + Kinetic Boron	√
Headline + Tilt + NRG-Mg + Kinetic Boron	
Horizon NG	
Horizon NG + Attain XC	√
Horizon NG + Barricade SG	√
Horizon NG + Barricade SG + NRG KS	√
Horizon NG + Barricade SG + NRG KS + Zicron	
Horizon NG + Barricade SG + Perimeter II	√
Horizon NG + Barricade II + Perimeter II + Pro-Surf II	
Horizon NG + Bucril M	√
Horizon NG + Infinity	√
Horizon NG + Infinity + AMS	√
Horizon NG + Infinity + Copron	
Horizon NG + Pixxaro A	√
Horizon NG + Pixxaro B	√
Horizon NG + Pulsar + MCPA Ester	√
Horizon NG + OcTTain	√
Horizon NG + Target	√
Horizon NG + Infinity + Tilt	√
Horizon NG + Thumper + Tilt + Alpine	
Horizon NG + Thumper + Tilt + Liquid urea + Alpine	

Compatibility Index

√	Compatible
√ ^a	^a Marginally Compatible, thorough agitation is required, add PrecisionPac first
√ [*]	[*] Marginally Compatible, thorough agitation is required, dilution with water is recommended
x	Incompatible
	Not Tested

Mixes were generally tested at 5 gal/ac water volume

Stage 2

RELEAF™
PLATINUM

PESTICIDE Physical Compatibility Chart

Last updated: June 8, 2020

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions

Tank-Mix Product	ReLeaf Platinum
Horizon NG + Thumper + Tilt + UAN + Alpine	
Infinity	
Infinity FX	√
Lance	√
Lance + Kinetic Boron	
Lance AG	√*
Liberty 150SN	√
Liberty 150SN + Ares	√
Liberty 150SN + Assure + Headline	√
Liberty 150SN + Centurion + Amigo	√
Liberty 150SN + Centurion + Decis	√
Liberty 150SN + Centurion + Amigo + ModipHy	√
Liberty 150SN + Centurion + Decis + Amigo	√
Liberty 150SN + Centurion + Headline + NRG-KS + ModipHy	
Liberty 150SN + Centurion + Kinetic Boron + Manron	
Liberty 150SN + Centurion + Kinetic Boron + Manron + UAN	
Liberty 150SN + Centurion + Kinetic Boron + Zicron-F	
Liberty 150SN + Centurion + Kinetic Boron + ModipHy	
Liberty 150SN + Centurion + NRG-KS + Kinetic Boron + ModipHy	
Liberty 150SN + Centurion + NRG-KS + ModipHy	√
Liberty 150SN + Centurion + NRG-KS + NRG-N + ModipHy	
Liberty 150SN + Centurion + NRG-N	
Liberty 150SN + Centurion + NRG-N + ModipHy	
Liberty 150SN + Centurion + Manron + ModipHy	
Liberty 150SN + Centurion + Priaxxor + Amigo + NRG KB + 20-0-0	
Liberty 150SN + Centurion + Priaxxor + Amigo + NRG KS + 20-0-0	
Liberty 150SN + Centurion + Zicron + ModipHy	
Liberty 150SN + Decis	√

Compatibility Index

√	Compatible
√ ^a	^a Marginally Compatible, thorough agitation is required, add PrecisionPac first
√*	*Marginally Compatible, thorough agitation is required, dilution with water is recommended
x	Incompatible
	Not Tested

Mixes were generally tested at 5 gal/ac water volume

Stage 2

RELEAF[®]
PLATINUM

PESTICIDE Physical Compatibility Chart

Last updated: June 8, 2020

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions

Tank-Mix Product	ReLeaf Platinum
Liberty 150SN + Headline	
Liberty 150SN + NRG-N	
Liberty 150SN + NRG-N + ModipHy	
Liberty 150SN + Tilt	
Liquid Achieve	
Liquid Achieve + Buctril M	√
Liquid Achieve + Infinity	√
Liquid Achieve + Infinity FX + Intake	√
Liquid Achieve + OcTTain	√
Liquid Achieve + OcTTain XL + NRG KS + Zicron	
Liquid Achieve + OcTTain + Copron	
Liquid Achieve + OcTTain + Tilt	
Liquid Achieve + Prestige	√
Liquid Achieve + Prestige + MCPA Ester 600	
Liquid Achieve + Prestige + MCPA Ester 600 + Turbocharge	
Liquid Achieve + Refine M	x
Lontrel	
Lorsban	
Luxxor	√
Luxxor + Infinity FX	√
Manipulator	
Matador	
Maverick III	
MCPA Amine	
MCPA Ester (LV 600)	
MCPA Ester (LV 600) + Refine M + Manron	√
MCPA Ester (LV 600) + Varro	√

Compatibility Index

√	Compatible
√ ^a	^a Marginally Compatible, thorough agitation is required, add PrecisionPac first
√ [*]	[*] Marginally Compatible, thorough agitation is required, dilution with water is recommended
x	Incompatible
	Not Tested

Mixes were generally tested at 5 gal/ac water volume

Stage 2

RELEAF[®]
PLATINUM

PESTICIDE Physical Compatibility Chart

Last updated: June 8, 2020

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions

Tank-Mix Product	ReLeaf Platinum
Mextrol	
Mextrol + 2,4-D Ester	
Mextrol + Tilt	
OcTTain	
OcTTain + Simplicity	√
OcTTain + Simplicity GoDri	√
OcTTain + Varro	√
Odyssey DLX + Centurian + Amigo	√
Odyssey DLX + Kinetic Boron + Merge	
Odyssey DLX + Merge	√
Odyssey DLX + Manron-F + Merge	
Odyssey + Manron	
Odyssey + Merge	√
Odyssey + Assure II + Merge	√
Odyssey + Assure II + Suremix	√
Odyssey Ultra + Merge	√
Odyssey Ultra + Alpine + Merge	
Odyssey Ultra + NRG-KS + Merge	
Odyssey Ultra + Merge + Kinetic Boron + Na Molybdate + ModiphY	
Paradigm + Barricade II	√
Paradigm + Enforcer D	√
Paradigm + Enforcer M	√
Paradigm + Frontline XL	√
Paradigm + Infinity	√
Paradigm + Occtain XL	√
Paradigm + Pixxaro	√
Pardner	

Compatibility Index

√	Compatible
√ ^a	^a Marginally Compatible, thorough agitation is required, add PrecisionPac first
√ [*]	[*] Marginally Compatible, thorough agitation is required, dilution with water is recommended
x	Incompatible
	Not Tested

Mixes were generally tested at 5 gal/ac water volume

Stage 2

RELEAF[®]
PLATINUM

PESTICIDE Physical Compatibility Chart

Last updated: June 8, 2020

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions

Tank-Mix Product	ReLeaf Platinum
Persuit + Agral	√
Persuit + Centurian + Amigo	√
Persuit + Assure II + Suremix	√
Pinnacle + Kinetic Boron + Pro-Surf II	
Pinnacle + Pro-Surf II	
Poast Ultra	
Predicade	√
Predicade + NRG KS	√
Prestige	√
PrecisionPac PP-23235 + Agral 90 + Perimeter + Simplicity GoDri	√ ^a
PrecisionPac PP-23235 + Agral 90 + Perimeter + Axial BIA	√ ^a
PrecisionPac PP-23235 + Agral 90 + Perimeter + Horizon NG	√ ^a
PrecisionPac PP-23235 + Agral 90 + Perimeter + Puma Advance	√ ^a
PrecisionPac PP-23235 + Agral 90 + Perimeter + Everest	√ ^a
PrecisionPac PP-23235 + Agral 90 + MCPA Ester 600 + Simplicity GoDri	√ ^a
PrecisionPac PP-23235 + Agral 90 + Perimeter + Axial BIA	√ ^a
PrecisionPac PP-23235 + Agral 90 + Perimeter + Horizon NG	√ ^a
PrecisionPac PP-23235 + Agral 90 + Perimeter + Puma Advance	√ ^a
PrecisionPac PP-23235 + Agral 90 + Perimeter + Everest	√ ^a
Priaxor	√
Priaxor + NRG-Mg + Kinetic Boron	
Priaxor + Kinetic Boron	
Priaxor + ModipHy	
Priaxor + Sodium Molybdate	
Priaxor DS	

Compatibility Index

√	Compatible
√ ^a	a Marginally Compatible, thorough agitation is required, add PrecisionPac first
√ [*]	*Marginally Compatible, thorough agitation is required, dilution with water is recommended
x	Incompatible
	Not Tested

Mixes were generally tested at 5 gal/ac water volume

Stage 2

RELEAF[®]
PLATINUM

PESTICIDE Physical Compatibility Chart

Last updated: June 8, 2020

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions

Tank-Mix Product	ReLeaf Platinum
Pristine	
Proline	√
Propulse	
Prosaro	√
Pulsar	
Puma Advance + Buctril M	√
Puma Advance + Infinity + MCPA Ester 600 + Manipulator	√
Puma Advance + Refine M	√
Puma Advance + Refine SG	
Puma Advance + Thumper	√
Pursuit + Kinetic Boron	
Pursuit + Pro-Surf II	
Quilt	√
Quilt + Copron + Manron	√
Rexade	√
Rexade + Cipreme + Tilt + AgSurf	√
Rexade + Stellar + Tilt + AgSurf	√
Refine SG + Pro-Surf II	
Reflex + Kinetic Boron	
Reflex + Turbocharge	
Rezuvant	√
Roundup R/T 540	
Roundup R/T 540 + Kinetic Boron	
Roundup R/T 540 + NRG KS	
Roundup R/T 540 + NRG KS + ModipHy	
Roundup R/T 540 + NRG Mn	
Roundup R/T 540 + Zicron	
Roundup WeatherMAX	√

Compatibility Index

√	Compatible
√ ^a	^a Marginally Compatible, thorough agitation is required, add PrecisionPac first
√ [*]	[*] Marginally Compatible, thorough agitation is required, dilution with water is recommended
x	Incompatible
	Not Tested

Mixes were generally tested at 5 gal/ac water volume

Stage 2

RELEAF^{PL} PLATINUM

PESTICIDE Physical Compatibility Chart

Last updated: June 8, 2020

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions

Tank-Mix Product	ReLeaf Platinum
Roundup WeatherMAX + Kinetic Boron	
Roundup WeatherMAX + Pardner	
Roundup WeatherMAX + Pardner + ModipHy	
Roundup WeatherMAX + ModipHy	√
Roundup WeatherMAX + Lontrel	
Roundup WeatherMAX + Matador	√
Roundup WeatherMAX + NRG-KS + ModipHy	√
Roundup WeatherMAX + NRG-KS + Kinetic Boron + Kinetic Zicron + ModipHy	
Roundup WeatherMAX + Priaxor + NRG-KS + Kinetic Boron + Kinetic Zicron + ModipHy	
Roundup WeatherMAX + Priaxor + NRG-KB + 20-0-0	
Roundup WeatherMAX + Priaxor + NRG-KS + Kinetic Boron + 20-0-0	
Roundup WeatherMAX + Pursuit	√
Roundup WeatherMAX + Tilt	
Roundup WeatherMAX + Tundra + Eclipse	√
Roundup WeatherMAX + Zicron	
Rovral	
Salute	√
Sencor	√
Sencor + Zicron	
Simplicity	
Simplicity + Attain XC	√
Simplicity + Attain + NRG-KS	
Simplicity + Barricade SG	√
Simplicity + Barricade SG + Perimeter II	√
Simplicity + Barricade II + Perimeter II + Pro-Surf II	
Simplicity + OcTtain	√
Simplicity + OcTtain + 2,4-D Ester + Kinetic Boron + Manron-F + UAN	
Simplicity + OcTtain + Pro-Surf II	

Compatibility Index

√	Compatible
√ ^a	^a Marginally Compatible, thorough agitation is required, add PrecisionPac first
√ [*]	[*] Marginally Compatible, thorough agitation is required, dilution with water is recommended
x	Incompatible
	Not Tested

Mixes were generally tested at 5 gal/ac water volume

Stage 2

RELEAF™
PLATINUM

PESTICIDE Physical Compatibility Chart

Last updated: June 8, 2020

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions

Tank-Mix Product	ReLeaf Platinum
Simplicity + Paradigm	√
Simplicity + Paradigm + NRG KB	
Simplicity + Paradigm + NRG KS + Kinetic Zinc + Ag Surf	
Simplicity + Prestige	√
Simplicity + Prestige + Kinetic Boron + Manron	
Simplicity + Prestige + Tilt + Kinetic Boron	
Simplicity + Prestige + Tilt + NRG-N	
Simplicity + Pixxaro A	√
Simplicity + Pixxaro B	√
Simplicity + Pixxaro	
Simplicity + Pixxaro + NRG KB	
Simplicity + Pixxaro + NRG KS	
Simplicity + Pixxaro + NRG KS + Kinetic Zicron	
Simplicity + Spectrum + Manron	
Simplicity + Spectrum + NRG-KS	√
Simplicity + Stellar	√
Simplicity + Stellar + Kinetic Boron + Copron	
Simplicity Dri-Flo + Axial BIA	√
Simplicity Dri-Flo + Horizon NG	√
Simplicity Dri-Flo + Traxos	√
Simplicity Dri-Flo + Velocity/Varro	√
Simplicity GoDri + Paradigm	
Simplicity GoDri + Paradigm + NRG KB	
Simplicity GoDri + Pixxaro	
Simplicity GoDri + Pixxaro + NRG KB	
Solo	
Solo + Merge	√

Compatibility Index

√	Compatible
√ ^a	^a Marginally Compatible, thorough agitation is required, add PrecisionPac first
√ [*]	[*] Marginally Compatible, thorough agitation is required, dilution with water is recommended
x	Incompatible
	Not Tested

Mixes were generally tested at 5 gal/ac water volume

Stage 2

RELEAF™
PLATINUM

PESTICIDE Physical Compatibility Chart

Last updated: June 8, 2020

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions

Tank-Mix Product	ReLeaf Platinum
Solo + Centurion + Amigo	√
Solo + Assure II + Sure-Mix	√
Solo + Poast Ultra + Merge	√
Solo ADV	√
Solo ADV + Assure II + Sure-Mix	√
Solo ADV + Manron	
Stellar	
Stellar + Varro	
Tandem + MCPA 600 ester	
Target	
Tilt	√
Tilt + MKP	
Bumper + NRG Mg + Kinetic Boron	
Tilt + ReLeaf Canola	
Touchdown Total + Quilt + Kinetic Boron	
Travallas	x
Traxion	
Traxion + Headline + NRG-KS + ModipHy	
Traxion + Kinetic Boron + ModipHy	
Traxion + Kinetic Boron + Manron + ModipHy	
Traxion + NRG-KS + ModipHy	
Traxion + NRG-KS + NRG-N + ModipHy	
Traxion + NRG-N + ModipHy	
Traxion + Zicron + ModipHy	
Traxos	
Traxos + Attain XC	√
Traxos + Barricade SG	√
Traxos + Barricade SG + Perimeter II	√

Compatibility Index

√	Compatible
√ ^a	^a Marginally Compatible, thorough agitation is required, add PrecisionPac first
√ [*]	[*] Marginally Compatible, thorough agitation is required, dilution with water is recommended
x	Incompatible
	Not Tested

Mixes were generally tested at 5 gal/ac water volume

Stage 2

RELEAF[®]
PLATINUM

PESTICIDE Physical Compatibility Chart

Last updated: June 8, 2020

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions

Tank-Mix Product	ReLeaf Platinum
Traxos + Enforcer D	√
Traxos + Enforcer M	√
Traxos + Infinity	√
Traxos + Infinity FX	√
Traxos + OcTTain XL	√
Traxos + Pixxaro A	√
Traxos + Pixxaro B	√
Traxos + Pulsar + MCPA Ester	√
Traxos + Refine M	√
Traxos + Stellar	√
Traxos + Stellar + Kinetic Boron + Manron	
Traxos Two	√
Triton C + Merge	
Triton K	
Tundra	√
Tundra + Eclipse	√
Tundra + Quilt	
Tundra + Tilt	
Twinline	√
Varro	√
Varro + Infinity + AMS	√
Varro + Infinity FX + AMS	√
Varro + Spectrum	
Vantage Plus Max II	
Velocity	√
Velocity + AMS	√
Velocity + AMS + 2.4 D 700	√

Compatibility Index

√	Compatible
√ ^a	^a Marginally Compatible, thorough agitation is required, add PrecisionPac first
√ [*]	[*] Marginally Compatible, thorough agitation is required, dilution with water is recommended
x	Incompatible
	Not Tested

Mixes were generally tested at 5 gal/ac water volume

Stage 2

RELEAF^{PL} PLATINUM

PESTICIDE Physical Compatibility Chart

Last updated: June 8, 2020

CAUTION: This chart is a guide only. A standard jar test should always be conducted prior to mixing to ensure compatibility under your rates and conditions

Tank-Mix Product	ReLeaf Platinum
Velocity M3	√
Velocity M3 + NRG-KS	
Velocity M3 + Quilt	
Velocity M3 + Tilt	
Vertisan	√
Viper ADV	√
Viper ADV + UAN	√
Viper ADV + Assure II	√
Viper ADV + Epsotop	
Viper ADV + Matador + Kinetic Boron + Zicron + Merge	
Viper ADV + NRG-Mg	
Viper ADV + Pursuit	√
Viper ADV + Sodium Molybdate	
Viper ADV + Zicron	
Viper ADV	√
Viper ADV + UAN	
Viper ADV + Assure II + Sure Mix	√

Compatibility Index

√	Compatible
√ ^a	^a Marginally Compatible, thorough agitation is required, add PrecisionPac first
√ [*]	[*] Marginally Compatible, thorough agitation is required, dilution with water is recommended
x	Incompatible
	Not Tested

Mixes were generally tested at 5 gal/ac water volume